

- Try the application on a limited area of skin. A slight tingling is normal. If the patient experiences intense burning, this means that the skin is irritable. In this case, rinse the treated area with water, stop the session and apply WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN.
- Always massage the product on well lubricated skin to avoid excoriations (if the glove or the spatula does not glide anymore, apply more product).
- Treat the lower eyelid and area under the eyes with only one layer, to avoid unattractive swelling in this area in the days following the treatment.
- Allow a suitable length of time since shaving or waxing before treating with PRX-T₃₃.
- In order to avoid allergic reactions, use nitrile gloves and not latex.
- Do not treat areas affected by seborrheic dermatitis (e.g. sides of nose).
- Do not treat the corners of the mouth if they are affected by angular cheilitis.
- Be careful when treating the inframammary fold to avoid the development of fissures in case of damaged skin.
- Warning: when treating seborrheic or acneic skin, especially the delicate areas of the face (e.g. marionette lines), apply maximum two layers of PRX-T₃₃, massaging gently. Over aggressive massaging may abrade the damaged skin and possibly cause scarring.
- Any topical use of retinoic acid (isotretinoin) should be discontinued 15 days prior the treatment with PRX-T₃₃ and can be resumed at the end of the cycle of sessions.



Direct line with dermatologists, biologists and researchers for scientific enquiries:
scientificdivision@wiqo.eu

GPQ srl

Operational Headquarters: Via Martinelli, 16 - 34015 Muggia (Trieste) - Italy
Tel.: +39 040 360408 - Fax: +39 040 761393 - gpg@wiqo.eu
www.wiqo.com

PRX-T₃₃[®]
wiQO

PROTOCOL FOR USE



REVITALISATION OF THE FACE AND NECK

Indications:

Photo-ageing, dermal atrophy in middle-aged or older patients.

Frequency of sessions:

Once a week up to 1-5 sessions.

METHOD OF USE

1) Cleanse the skin with **P SOLUTION**.

2) Apply **PRX-T₃₃** on the area to be treated and massage it with the rubber-tipped spatula or manually with the specific technique, being careful to keep the area lubricated with the product.

3) Repeat the application until the desired effect has been achieved (visible and palpable firmness). It generally takes about three layers: 1-2 layers on the neck or for very thin and/or delicate skin, up to 5 for very thick skin.

4) Proceed section by section until the entire surface has been treated.

5) Remove the residue with wet cotton wool or instruct the patient to rinse their skin with running water, allowing them to feel the smoothness and firmness of the skin after treatment.

6) Liberally apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN** or similar to the area treated to restore the hydrolipidic film, prevent dryness and soothe any temporary redness.

7) Prescribe post-treatment at home with **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**, to be applied 2-3 times a day for the first few days and then once/twice a day, and **WiQo SMOOTHING FLUID**, to be applied once a day starting the day after **PRX-T₃₃** treatment. Remind the patient that no other cream should be used half an hour after the application of **WiQo SMOOTHING FLUID**.

REVITALISATION OF DÉCOLLETAGE SKIN AND OTHER AREAS OF THE BODY

Indications:

Photo-ageing, dermal atrophy in middle-aged or older patients.

Frequency of sessions:

4-6 weekly sessions.

METHOD OF USE

1) Cleanse the skin with **P SOLUTION**.

1) Apply **PRX-T₃₃** by manually massaging it into the skin with the specific technique or with the special rubber-tipped brush. Avoid the lower quadrants of the breasts.

2) Once the product is fully absorbed and the glove or spatula does not glide anymore, apply more product. The desired effect (visible, palpable firmness) is achieved after 3-5 layers.

3) Rinse with water and apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

4) Prescribe **WiQo FIRMING BODY CREAM**, to be applied at home once a day every day.

STRETCH MARKS

Indications:

Recent stretch marks.

Frequency of sessions:

Once a week for 5-15 sessions.

METHOD OF USE

1) Cleanse the skin with **P SOLUTION**.

2) Rub **PRX-T₃₃** lengthwise into the stretch marks using the special rubber – tipped spatula.

3) Repeat until the bottom of the stretch marks rises.

4) Remove the residue with water and apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

RECENT DEPRESSED SCARS

Indications:

Recent depressed scars (acne, impetigo, chicken pox, etc.) which still have a pinkish base. Treatment should be started after the complete re-epithelialization of the lesion.

Frequency of sessions:

3 times a week for 4-8 weeks until the bottom of the scar remains raised after 15 days.

METHOD OF USE

1) Cleanse the skin with **P SOLUTION**.

2) Rub the depressed bottom of the scar with the special rubber – tipped brush or with a cotton bud soaked in **PRX-T₃₃**.

3) Repeat the application until the bottom of the scar lifts up.

4) Remove the residue with damp cotton wool and apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

General contraindications

- Irritated skin
- Irritable skin
- Seborrhoeic dermatitis
- Atopic dermatitis
- Allergy to kojic acid
- Pregnancy and breastfeeding
- Cutaneous and/or herpetic eruptions
- Angular cheilitis
- Open wounds

Possible side effects and problems:

• **Skin Flaking:** this can occur after the first session of treatment or on skins with thickened stratum corneum. It may last 2-3 days. Apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN** several times a day.

• **Delicate skin that becomes red at the first application:** stop after one application and recommend **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

• **Intense burning sensation upon application:** this can occur to patients with irritable skin. The diagnosis of "irritable skin" is symptomatological and is given when the patient complains of burning after the application of an acidic product which would be tolerated by most people. If this happens, rinse the skin immediately with cold running water and apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

• **Redness upon application:** it will fade in a few hours with the use of **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN**.

• **Delayed widespread or patchy redness:** this can occur the day after treatment and can be treated with an appropriate dermatological prescription.

• **Dryness:** apply **WiQo NOURISHING AND MOISTURIZING CREAM FOR DRY SKIN** more frequently.

• **Contact with the conjunctiva:** wash immediately with sterile saline solution.

• **Itchiness, with or without redness, in the days following treatment:** very rare, presumably due to an allergy to kojic acid. It can be treated with an appropriate dermatological prescription.

• **Delayed limited inflammation (appearing the following day or later):** redness and/or swelling of a limited area of the treated skin, presumably due to an irritation of skin that was not completely healthy at the time of application (subclinical dermatitis, recently waxed skin, etc.). It can be treated with an appropriate dermatological prescription.

• **Appearance of rounded darker patches in the two days following treatment:** these are areas of thicker skin that dries out. They will disappear through natural exfoliation in a few days. Anaphylaxis: suspend treatment and administer the appropriate care.

In the event of persistent inflammation (erythema lasting more than one day), there is a risk of hyperpigmentation in predisposed subjects. This is not due directly to the product, but rather to the erythema. Monitor such patients to ensure that they avoid sun exposure and use a high protection sunscreen.